

BIBLIOGRAPHY

- Adair, R. K. (1999). Effects of very weak magnetic fields on radical pair reformation. *Bioelectromagnetics* **20**, 255-63.
- Ahlbom, A. (2001). Neurodegenerative diseases, suicide and depressive symptoms in relation to EMF. *Bioelectromagnetics*, S132-S143.
- Ahlbom, A., Day, N., Feychting, M., et al. (2000). A pooled analysis of magnetic fields and childhood leukemia. *Br J Cancer* **83**, 692-8.
- Alexander, L. (1938). Clinical and neuropathological aspects of electrical injuries. *Journal of Industrial Hygiene and Toxicology* **20**, 191-243.
- Alfredsson, L., Hammar, N. & Karlehagen, S. (1996). Cancer incidence among male railway engine-drivers and conductors in Sweden, 1976-90. *Cancer Causes & Control* **7**, 377-381.
- Anderson, L. E., Boorman, G. A., Morris, J. E., et al. (1999). Effect of 13 week magnetic field exposures on DBMA-initiated mammary gland carcinomas in female Sprague-Dawley Rats. *Carcinogenesis* **20**, 1615-1620.
- Anderson, L. E., Kelman, B. J. & Weigel, R. J. (1987). Interaction of biological systems with static and ELF electric and magnetic fields.
- Anderson, L. E., Morris, J. E., Sasser, L. B., et al. (2000). Effects of 50- or 60-hertz, 100 microT magnetic field exposure in the DMBA mammary cancer model in Sprague-Dawley rats: possible explanations for different results from two laboratories. *Environ Health Perspect* **108**, 797-802.
- Anisimov, V. N., Popovich, I. G. & Zabezhinski, M. A. (1997). Melatonin and colon carcinogenesis: I. Inhibitory effect of melatonin on development of intestinal tumors induced by 1,2-dimethylhydrazine in rats. *Carcinogenesis* **18**, 1549-53.
- Anisimov, V. N., Zhukova, O. V., Beniashvili, D. S., et al. (1996). Effect of the light regime and electromagnetic fields on carcinogenesis of the mammary gland in female rats. *Biophysics* **41**, 817-823.
- Asanova, T. & Rakov, A. (1975). The state of health of persons working in the electric field of outdoor 400 and 500 kV switchyards. *Study in the USSR of Medical Effects of Electric Fields on Electric Power Systems* **10**.
- Bakos, J., Nagy, N., Thuroczy, G., et al. (1999). Urinary 6-sulfatoxymelatonin excretion of rats is not changed by 24 hours of exposure to a horizontal 50-Hz, 100- μ T magnetic field. *Electro-Magnetobiol.* **18**, 23-31.
- Baris, D. & Armstrong, B. (1990). Suicide among electric utility workers in England and Wales. *British J of Ind Medicine* **47**, 788-789.
- Baris, D., Armstrong, B. G., Deadman, J., et al. (1996a). Mortality study of electrical utility workers in Quebec. *Occupational & Environmental Medicine* **53**, 25-31.
- Baris, D., Armstrong, B. G., Deadman, J., et al. (1996b). A case cohort study of suicide in relation to exposure to electrical and magnetic fields among electrical utility workers. *Occupational & Environmental Medicine* **53**, 17-24.
- Bastuji-Garin, S. R., S; Zittoun R. (1990). Acute leukemia in workers exposed to electromagnetic fields. *Eur J Cancer* **26**, 1119-1120.
- Baum, A., Mevissen, M., Kamino, K., et al. (1995). A histopathological study on alterations in DMBA-induced mammary carcinogenesis in rats 100 µT magnetic field exposure with 50 Hz. *Carcinogenesis* **16**, 119-125.
- Beale, I. P., NE; Conroy, DM. (1998). Psychological effects of chronic exposure to 50 Hz magnetic fields in humans living near extra high voltage transmission lines. *Bioelectromagnetics* **18**, 584-594.
- Belanger, K., Leaderer, B., Hellenbrand, K., et al. (1998). Spontaneous abortion and exposure to electric blankets and heated waterbeds. *Epidemiology* **9**, 36-42.
- Beniashvili, D. S., Bilanishvili, V. G. & Menabde, M. Z. (1991). Low-frequency electromagnetic radiation enhances the induction of rat mammary tumors by nitrosomethyl urea. *Cancer Letters* **61**, 75-79.
- Berman, E., Chacon, L., House, D., et al. (1990). Development of chicken embryos in a pulsed magnetic field. *Bioelectromagnetics* **11**, 169-187.
- Bjerkedal, T. E., J. (1987). Video display terminals and birth defects: a study of pregnancy outcomes of employees of the postal-giro-center, Oslo, Norway. In *Work with display units 86* (ed. B. Knave and P. G. Wideback), pp. 111-4. Elsevier Science Publishers, Amsterdam.
- Blackman, C. F., Benane, S. G. & House, D. E. (2001). The influence of 1.2 microT, 60 Hz magnetic fields on melatonin- and tamoxifen-induced inhibition of MCF-7 cell growth. *Bioelectromagnetics* **22**, 122-8.

- Blackman, C. F., House, D. E., Benane, S. G., *et al.* (1988). Effect of ambient levels of power-line-frequency electric fields on a developing vertebrate. *Bioelectromagnetics* **9**, 129-40.
- Blair, A. W., J; Rogot, E. (1985). Mortality patterns among U.S. veterans by occupation. *J Natl Cancer Inst* **75**, 1039-1047.
- Bonhomme-Faivre, L., Mace, A. & Bezie, Y. (1998b). Alterations of biological parameters in mice chronically exposed to low-frequency (50 Hz) electromagnetic fields. *Life Sciences* **62**, 1271-1280.
- Bonhomme-Faivre, L., Marion, S., Bezie, Y., *et al.* (1998a). Study of human neurovegetative and hemoatologic effects of environmental low frequency (50 Hz) electromagnetic fields produced by transformers. *Archives of Environmental Health* **53**, 87-92.
- Boorman, G. A., Anderson, L. E., Morris, J. E., *et al.* (1999a). Effect of 26 week magnetic field exposures in a DMBA initiation-promotion mammary gland model in Sprague-Dawley rats. In *Carcinogenesis*, vol. 20, pp. 899-904.
- Boorman, G. A., McCormick, D. L. & Findlay, J. C. (1999b). Chronic Toxicity/Oncogenicity evaluation of 60 Hz (power frequency) magnetic fields in F344/N rats. *Toxicologic Pathology* **27**, 267-278.
- Bowman, J., Thomas, D., London, S., *et al.* (1995). The risk of childhood leukemia may be related to combinations of power-frequency and static magnetic fields. *Bioelectromagnetics* **16**, 48-59.
- Bracken, M. B., Belanger, K., Hellenbrand, K., *et al.* (1995). Exposure to electromagnetic fields during pregnancy with emphasis on electrically heated beds: association with birthweight and intrauterine growth retardation. *Epidemiology* **6**, 263-270.
- Bracken, M. B., Belanger, K., Hellenbrand, K., *et al.* (1998). Correlates of Residential Wiring Code used in case studies of health effects of residential magnetic fields. *Amer J of Epidemiology* **148**, 467-474.
- Brandt, L. N., CV. (1990). Congenital malformations among children of women working with video display terminals. *Scand J Work Environ Health* **16**, 263-70.
- Brown, C. & Doll. (1961). Leukemia in childhood and young adult life, trends in mortality in relation to aetiology. *BMJ* **26**, 981-86.
- Bryant, H. & Love, E. J. (1989). Video display terminal use and spontaneous abortion risk. *International J of Epidemiology* **18**, 132-138.
- Buiatti, E., Barchielli, A., Geddes, M., *et al.* (1984). Risk factors in male infertility: a case-control study. *Archives of Environmental Health* **39**, 266-270.
- Bunin, G. R., Ward, E., Kramer, S., *et al.* (1990). Neuroblastoma and parental occupation. *Amer J of Epidemiology* **131**, 776-780.
- Burch, J., Reif, J. S., Yost, M., *et al.* (1998). Nocturnal excretion of a urinary melatonin metabolite among electric utility workers. *Scand J Work Environ Health* **24**, 183-9.
- Burch, J. B., Reif, J. S., Noonan, C. W., *et al.* (2000). Melatonin metabolite levels in workers exposed to 60-Hz magnetic fields: work in substations and with 3-phase conductors. *J Occup Environ Med* **42**, 136-42.
- Burchard, J. F., Nguyen, D. H. & Block, E. (1998a). Effects of electric and magnetic fields on nocturnal melatonin concentrations in dairy cows. *J Dairy Sci* **81**, 722-7.
- Burchard, J. F., Nguyen, D. H. & Block, E. (1998b). Progesterone concentrations during estrous cycle of dairy cows exposed to electric and magnetic fields. *Bioelectromagnetics* **19**, 438-43.
- Burchard, J. F., Nguyen, D. H. & Block, E. (1999). Macro- and trace element concentrations in blood plasma and cerebrospinal fluid of dairy cows exposed to electric and magnetic fields. *Bioelectromagnetics* **20**, 358-64.
- Burchard, J. F., Nguyen, D. H., Richard, L., *et al.* (1998c). Effects of electromagnetic fields on the levels of biogenic amine metabolites, quinolinic acid, and B-endorphin in the cerebrospinal fluid of dairy cows. *Neurochemical Research* **22**, 1527-31.
- Calle, E. E. & Savitz, D. A. (1985). Leukemia in occupational groups with presumed exposure to electrical and magnetic fields (letter). *New England J of Medicine* **313**, 1476-1477.
- Cantor, K. P., Dosemeci, M., Brinton, L. A., *et al.* (1995a). Re: 'Breast cancer mortality among female electrical workers in the United States' (letter). *J of the National Cancer Institute* **87**, 227-228.
- Cantor, K. P., Stewart, P. A., Brinton, L. A., *et al.* (1995b). Occupational exposures and female breast cancer mortality in the United States. *J of Occupational & Environmental Medicine* **37**, 336-348.
- Cartwright, R. A. D., C; McKinney, P A; *et al.* (1988). Acute myeloid leukemia in adults: a case control study in Yorkshire. *Leukemia* **2**, 687-690.
- Chacon, L., Trillo, M. A., Ubeda, A., *et al.* (1990). A 30-Hz pulsed magnetic field can stop early embryonic development. *Journal of Bioelectricity* **9**, 61-66.
- Ciccione, G., Mirabelli, D., Levis, A., *et al.* (1993). Myeloid leukemias and myelodysplastic syndromes: chemical exposure, histologic subtype and

- cytogenetics in a case-control study. *Cancer Genet Cytogenet* **68**, 135-139.
- Cocco, P., Figgs, L. & Dosemeci, M. (1998). Case-control study of occupational exposures and male breast cancer. *Occup Environ Med* **55**, 599-604.
- Coggon, D., Pannett, B., Osmond, C., *et al.* (1986). A survey of cancer and occupation in young and middle aged men II. *Br J Ind Med* **43**, 381-386.
- Coghill, R. W., Steward, J. & Phillips, A. (1996). Extra low frequency electric and magnetic fields in the bedplace of children diagnosed with leukemia: a case control study. *Eur J of Cancer Prev* **5**, 153-8.
- Coleman, M., Bell, J. & Skeet, R. (1983). Leukaemia incidence in electrical workers. *Lancet* **1**, 982-983.
- Coleman, M. P., Bell, C. M. J., Taylor, H. L., *et al.* (1989). Leukemia and residence near electricity transmission equipment: a case control study. *British J of Cancer* **60**, 793-798.
- Coogan, P. F. & Aschengrau, A. (1998). Exposure to power frequency magnetic fields and risk of breast cancer in the upper cape cod cancer incidence study. *Archives of Environmental Health* **53**, 359-366.
- Coogan, P. F., Clapp, R. W., Newcomb, P. A., *et al.* (1996). Occupational exposure to 60Hz Magnetic Fields and risk of breast cancer in women. *Epidemiology* **7**, 459-464.
- Cooke, J. V. (1942). The incidence of acute leukemia in children. *JAMA* **119**, 547-550.
- Coulton, L. A. & Barker, A. T. (1991). The effect of low-frequency pulsed magnetic fields on chick embryonic growth. *Phys Med Biol* **36**, 369-381.
- Court Brown, W. M. & Doll, R. (1961). Leukemia in childhood and young adult life, trends in mortality in relation to aetiology. *BMJ* **26**, 981-86.
- Cruz, D. C., Nelson, L. M., McGuire, V., *et al.* (1999). Physical trauma and family history of neurodegenerative diseases in amyotrophic lateral sclerosis: a population-based case-control study. *Neuroepidemiology* **18**, 101-110.
- Davanipour, Z., Sobel, E., Bowman, J. D., *et al.* (1997). Amyotrophic lateral sclerosis and occupational exposure to electromagnetic fields. *Bioelectromagnetics* **18**, 28-35.
- Dawson, T., Kaputo, K., Stuchly, M., *et al.* (2001). Electric fields in the human body resulting from 60Hz contact currents. *IEEE Transactions on Biomedical Engineering* **48**, 1-7.
- de Dombal, F., Leaper, D., Staniland, J., *et al.* (1972). Computer aided diagnosis of acute abdominal pain. *BMJ* **1**, 376-380.
- Deapen, D. M. & Henderson, B. E. (1986). A case-control study of amyotrophic lateral sclerosis. *Amer J of Epidemiology* **123**, 790-799.
- DelPizzo, V. (1992). An apparently incongruous exposure-response relationship resulting from the use of job description to assess magnetic field exposure. *Scan J Work Environ Health* **18**, 242-245.
- DelPizzo, V. (1993). Misclassification of ELF occupational exposure resulting from spatial variation of the magnetic field. *Bioelectromagnetics* **14**, 117-130.
- DelPizzo, V. & Salzberg, M. R. (1992). Relative-risk-estimate bias and loss of power in the Mantel test for trend resulting from the use of magnetic-field point-in-time ("spot") measurements in epidemiological studies based on an ordinal exposure scale. *Bioelectromagnetics* **13**, 363-378.
- Demers, P., Thomas, D. B., Rosenblatt, K. A., *et al.* (1991). Occupational Exposure to Electromagnetic fields and breast cancer in men. *Amer J of Epidemiology* **134**, 340-347.
- di Bartolomeis, M. (1994). Toward the 21st century: planning for the protection of California's environment. Public Health Institute, Berkeley.
- DiCarlo, A. L., Farrell, J. M. & Litovitz, T. A. (1998). A simple experiment to study electromagnetic field effects: protection induced by short-term exposures to 60 Hz magnetic fields. *Bioelectromagnetics* **19**, 498-500.
- DiCarlo, A. L., Farrell, J. M. & Litovitz, T. A. (1999). Myocardial protection conferred by electromagnetic fields. *Circulation* **99**, 813-6.
- DiCarlo, A. L. & Litovitz, T. A. (1999). Is genetics the unrecognized confounding factor in bioelectromagnetics? Flock-dependence of field-induced anoxia protection in chick embryos. *Bioelectrochem Bioenerg* **48**, 209-15.
- DiGiovanni, J., Johnston, D. A., Rupp, T., *et al.* (1999). Lack of effect of a 60 Hz magnetic field on biomarkers of tumor production in the skin of SENCAR mice. *Carcinogenesis* **20**, 685-9.
- Dlugosz, L., Vena, J., Byers, T., *et al.* (1992). Congenital defects and electric bed heating in New York State: a register-based case control study. *Amer J of Epidemiology* **135**, 1000-1010.
- Dosemeci, M., Wacholder, S. & Lubin, J. H. (1990). Does nondifferential misclassification of exposure always bias a true effect toward the null value? *Am J Epidemiol* **132**, 746-8.
- Dowson, D. L., GT. (1988). Overhead high voltage cables and recurrent headache and depression. *Practitioner* **232**, 22.
- Ekstrom, T., Mild, K. H. & Homberg, B. (1998). Mammary tumours in sprague-dawley rats after initiation with dmba followed by exposure to 50 Hz

- electromagnetic fields in a promotional scheme. *Cancer Letters* **123**, 107-111.
- Ericson, A. & Kallen, B. (1986a). An epidemiologic study of work with video screens and pregnancy outcome: 1. A registry study. *Amer J of Industrial Medicine* **9**, 447-457.
- Ericson, A. & Kallen, B. (1986b). An epidemiologic study of work with video screens and pregnancy outcome: 2 A case control study. *Amer J or Industrial Medicine* **9**, 459-475.
- Erren, T. C. (2001). A meta-analysis of epidemiologic studies of electric and magnetic fields and breast cancer in women and men. *Bioelectromagnetics*, S105-S119.
- Espinar, A., Piera, V., Carmona, A., *et al.* (1997). Histological changes during development of the cerebellum in the chick embryo exposed to a static magnetic field. *Bioelectromagnetics* **18**, 36-46.
- Fam, W. Z. & Mikhail, E. L. (1996). Lymphoma induced in mice chronically exposed to very strong low-frequency electromagnetic field. *Cancer Lett* **105**, 257-69.
- Farrell, J. M., Barber, M., Krause, D., *et al.* (1997a). Effects of low frequency electromagnetic fields on the activity of ornithine decarboxylase in developing chicken embryos. *Bioelectrochemistry & Bioenergetics* **43**, 91-96.
- Farrell, J. M., Penafiel, M., Montrose, C. J., *et al.* (1997b). The effect of pulsed and sinusoidal magnetic fields on the morphology of developing chick embryos. *Bioelectromagnetics* **18**, 431-438.
- Fear, N. T., Roman, E., Carpenter, L. M., *et al.* (1996). Cancer in electrical workers: an analysis of cancer registrations in England. *British J of Cancer* **73**, 935-939.
- Fews, A. P., Henshaw, D. L. & Wilding, R. J. (1999a). Corona ions from powerlines and increased exposure to pollutant aerosols. *International J of Radiation Biology* **75**, 1523-1531.
- Feychting, M. & Ahlbom, A. (1993). Magnetic fields and cancer in children residing near Swedish high-voltage power lines. *Amer J of Epidemiology* **138**, 467-481.
- Feychting, M. & Ahlbom, A. (1994). Magnetic fields, leukemia, and central nervous system tumors in Swedish adults residing near high-voltage power lines. *Epidemiology* **5**, 501-509.
- Feychting, M., Forssen, U. & Floderus, B. (1997). Occupational and residential magnetic field exposure and leukemia and central nervous system tumors. In *Epidemiology*, vol. 8, pp. 384-389.
- Feychting, M., Forssen, U., Rutqvist, L. E. & Ahlbom, A. (1998a). Magnetic fields and breast cancer in Swedish adults residing near high-voltage power lines. *Epidemiology* **9**, 1-6.
- Feychting, M., Pedersen, N. L. & Svedberg, P. (1998b). Dementia and occupational exposure to magnetic fields. *Sc& J Work Environ Health* **24**, 46-53.
- Feychting, M., Schulgen, G., Olsen, J. H., *et al.* (1995). Magnetic fields and childhood cancer -- a pooled analysis of two Scandinavian studies. *European J of Cancer* **31A**, 2035-2039.
- Floderus, B., Stenlund, C. & Persson, T. (1999). Occupational magnetic field exposure and site-specific cancer incidence: a Swedish cohort study. *Cancer Causes & Control* **10**, 323-332.
- Floderus, B., Tornqvist, S. & Stenlund, C. (1994). Incidence of selected cancers in Swedish railway workers, 1961-1979. *Cancer Causes & Control* **5**, 189-194.
- Floderus, B. P., T; Stenlund, C. (1992). *Occupational Exposure Electromagnetic Fields in Relation to Leukemia and Brain Tumors: A Case Control Study*. Litohuset, Stockholm, Sweden.
- Floderus, B. P., T; Stenlund, C. (1993). Occupational exposure to electromagnetic fields in relation to leukemia and brain tumors: a case control study in Sweden. *Cancer Causes and Control* **4**, 465-476.
- Flodin, U., Fredriksson, M. & Axelson, O. (1986). Background radiation, electrical work, and some other exposures associated with acute myeloid leukemia in a case-referent study. *Archives of Environmental Health* **41**, 77-84.
- Flodin, U. L. F., M; Persson, B; *et al.* (1990). Acute myeloid leukemia and background radiation in an expanded case-referent study. *Arch Environ Health* **45**, 364-366.
- Florig, K. (2001). Managing magnetic fields in California public schools final draft.
- Forssen, U. M., Feychting, M. & Rutqvist, L. E. (2000). Occupational and Residential magnetic field exposure and breast cancer in females. *Epidemiology* **11**, 24-29.
- Fraumeni, J. F. & Miller, R. W. (1967). Epidemiology of human leukemia: Recent observation. *J Nat Cancer Inst* **38**, 593-605.

- Fulton, J. P., Cobb, S., Preble, L., *et al.* (1980). Electrical wiring configurations and childhood leukemia in Rhode Island. *Amer J of Epidemiology* **111**, 292-296.
- Fung, V. A., Huff, J., Weisburger, E. K., *et al.* (1993). Predictive strategies for selecting 379 NCI/NTP chemicals evaluated for carcinogenic potential: scientific and public health impact. *Fundam Appl Toxicol* **20**, 413-36.
- Gad Sulman, F. (1980). The Effect of Air Ionization, Electric Fields, Atmospheric and Other Electric Phenomena on Man and Animal (ed. C. C. Thomas), pp. 11-12, 127-131, 144-153, 192-196, 277-289, Springfield, IL.
- Gallager, J. S., M. (1987). Trauma and amyotrophic lateral sclerosis: a report of 78 patients. *Acta Neurol Scand* **75**, 145-150.
- Gallagher, R. P., McBride, M. L., Band, P. R., *et al.* (1990). Occupational electromagnetic field exposure, solvent exposure, and leukemia. *J Occup Med* **32**, 64-65.
- Gallagher, R. P., McBride, M. L., Band, P. R., *et al.* (1991). Brain cancer and exposure to electromagnetic fields. *J of Occupational Medicine* **33**, 944-945.
- Gammon, M. D., Schoenberg, J. B. & Britton, J. A. (1998). Electric blanket use and breast cancer risk among younger women. *Amer J of Epidemiology* **148**, 556-563.
- Garland, F. C. S., E; Gorham, E D; *et al.* (1990). Incidence of leukemia in occupations with potential electromagnetic field exposure in United States Navy personnel. *Amer J Epi* **27**, 669-671.
- Gilliam, G. G. & Walter, W. A. (1958). Trends of mortality from leukemia in the United States. *Public Health Reports* **73**, 773-784.
- Gilman, P. A. A., R G; McCawley, M A. (1985). Leukemia risk among U.S. white male coal miners: a case control study. *J Occup Med* **27**, 669-671.
- Goldhaber, M. K., Polen, M. R. & Hiatt, R. A. (1988). The risk of miscarriage and birth defects among women who use visual display terminals during pregnancy. *Amer J of Ind Medicine* **13**, 695-709.
- Graham, C., Cook, M. R. & Sastre, A. (2000). Multi-night exposure to 60 Hz magnetic fields: Effects on melatonin and its enzymatic metabolite. *J of Pineal Research* **28**, 1-8.
- Graves, A. B., Rosner, D., Echeverria, D., *et al.* (1999). Occupational Exposure to Electromagnetic fields and Alzheimer Disease. *Alzheimers Disease & Associated Disorders* **13**, 165-170.
- Graves, H. B. (1981). Detection of a 60 Hz electric field by pigeons. *Behav Neural Biol* **32**, 229-234.
- Green, L. M., Miller, A. B. & Agnew, A. B. (1999b). Childhood leukemia and personal monitoring of residential exposures to electric and magnetic fields in Ontario, Canada. *Cancer Causes & Control* **10**, 233-243.
- Green, L. M., Miller, A. B., Villeneuve, P. J., *et al.* (1999a). Case-control study of childhood leukemia in southern Ontario, Canada, and exposure to magnetic fields in residences. *International J of Cancer* **82**, 161-170.
- Greenland, S., Sheppard, A., Kaune, W. T., *et al.* (2000). A pooled analysis of magnetic fields, wire codes, and childhood leukemia. Childhood leukemia-EMF study group. *Epidemiology* **11**, 624-34.
- Guberan, E. U., M; Raymond, L; *et al.* (1989). Disability, mortality, and incidence of cancer among Geneva painters and electricians: a historical prospective study. *Br J Ind Med* **46**, 16-23.
- Guenel, P., Nicolau, J., Imbernon, E., *et al.* (1996). Exposure to 50-Hz electric field and incidence of leukemia, brain tumors, and other cancers among French electric utility workers. *Amer J of Epidemiology* **144**, 1107-1121.
- Guenel, P., Raskmark, P., Anderson, J. B., *et al.* (1993). Incidence of cancer in persons with occupational exposure to electromagnetic fields in Denmark. *British J of Ind Medicine* **50**, 758-764.
- Gunnarson, L.-G., Bodin, L., Soderfeldt, B., *et al.* (1992). A case control study of motor neurone disease: its relation to heritability, and occupational exposures, particularly to solvent. *Brit J Industrial Medicine* **49**, 791-798.
- Gunnarsson, L.-G. B., L; Soderfeldt, B; Axelson, O. (1992). A case-control study of motor neurone disease: its relation to heritability and occupational exposures, particularly to solvents. *British Journal of Industrial Medicine* **49**, 791-798.
- Gunnarsson, L. L., G; Soderfeldt, B; *et al.* (1991). Amyotrophic lateral sclerosis in Sweden in relation to occupation. *Acta Neurologica Scand* **83**, 394-398.
- Gurney, J. G., Mueller, B. A., Davis, S., *et al.* (1996). Childhood brain tumor occurrence in relation to residential power line configurations, electric heating sources, and electric appliance use. *Amer J of Epidemiology* **143**, 120-128.
- Harrington, J. M., McBride, D. I., Sorahan, T., *et al.* (1997). Occupational exposure to magnetic fields in relation to mortality from brain cancer among electricity generation and transmissions workers. *Occupational & Environmental Medicine* **54**, 7-13.

- Hatch, E. E., Kleinerman, R. A., Linet, M., *et al.* (2000). Do confounding or selection factors of residential wiring codes and magnetic fields distort findings of electromagnetic field studies? *Epidemiology* **11**, 189-198.
- Haussler, M., Thun-Battersby, S., Mevissen, M., *et al.* (1999). Exposure of rats to a 50-Hz, 100 muTesla magnetic field does not affect the ex vivo production of interleukins by activated T or B lymphocytes. *Bioelectromagnetics* **20**, 295-305.
- Heikkinen, P., Kumlin, T. & Laitenen, J. T. (1999). Chronic Exposure to 50-Hz magnetic fields or 900-Mhz electromagnetic fields does not alter nocturnal 6-hydroxymelatonin sulfate secretion in CBA/S mice. *Electro- & Magnetobiology* **18**, 33-42.
- Hemmersbach, R., Becker, E. & Stockem, W. (1997). Influence of extremely low frequency electromagnetic fields on the swimming behavior of ciliates. *Bioelectromagnetics* **18**, 491-8.
- Henshaw, D. L., Ross, A. N., Fews, A. P., *et al.* (1996). Enhanced deposition of radon daughter nuclei in the vicinity of power frequency electromagnetic fields. *Int J Radiat Biol* **69**, 25-38.
- Hill, B. (1965). The environment and disease association or causation? In *Proceedings of the Royal Society of Medicine*, vol. 58, pp. 295-300.
- Holman, C., Arnold-Reed, D. & Klerk, N. (2001). A psychometric experiment in causal inference to estimate evidential weights used by epidemiologists. *Epidemiology* **12**, 246-255.
- Howe, J. R. L., J P. (1983). Follow-up study of a ten-percent sample of the Canadian labor force: I. Cancer mortality in males, 1965-73. *J Natl Cancer Inst* **70**, 37-44.
- Hristova, L., DelPizzo, V., Lee, G. M., *et al.* (1997). Possible association between residential magnetic fields and socioeconomic status, Abstract D-1. In *Abstract Book of the Second World Congress for Electricity*, pp. 100, Bologna.
- Hurych, J., Mirejovska, E., Holusa, R., *et al.* (1996). Effects of magnetic field exposure on the development of lung fibrosis elicited by industrial pollutants. *Toxicol Lett* **88**, 305-11.
- Hutchinson, T. & Lane, D. (1980). Assessing method for causality assessment of suspected adverse drug reactions. *Journal of Clinical Epidemiology* **42**, 5-16.
- IARC. (2001). Static and extremely low frequency electric magnetic fields. *In press*.
- Irgens, A., Kruger, K., Skorve, A. H., *et al.* (1997). Male proportion in offspring of parents exposed to strong static and extremely low-frequency electromagnetic fields in Norway. *Amer J of Ind Medicine* **32**, 557-561.
- Ishido, M., Nitta, H. & Kabuto, M. (2001). Magnetic fields (MF) of 50 Hz at 1.2 microT as well as 100 microT cause uncoupling of inhibitory pathways of adenylyl cyclase mediated by melatonin 1a receptor in MF-sensitive MCF-7 cells. *Carcinogenesis* **22**, 1043-8.
- Jaffa, K. C., Kim, H. & Aldrich, T. E. (2000). The relative merits of contemporary measurements and historical calculated fields in the Swedish childhood cancer study. *Epidemiology* **11**, 353-356.
- Jenrow, K. A., Smith, C. H. & Liboff, A. R. (1995). Weak extremely-low-frequency magnetic fields and regeneration in the planarian *Dugesia tigrina*. *Bioelectromagnetics* **16**, 106-112.
- Jerabek, J. & *et al.* (1979). Biological effects of magnetic fields. *Pracovni Lekarstvi* **31**, 98-106.
- Johansen, C. & Olsen, J. (1998). Risk of cancer among Danish utility workers--a nationwide cohort study. *Amer J of Epidemiology* **147**, 548-555.
- Johansen, C. & Olsen, J. (1998a). Mortality from amyotrophic lateral sclerosis, other chronic disorders and electric shocks among utility workers. *Amer J of Epidemiology* **148**, 362-368.
- Jones, T. L., Shih, C. H., Thurston, D. H., *et al.* (1993). Selection bias from differential residential mobility as an explanation for associations of wire codes with childhood cancer. In *J of Clinical Epidemiology*, vol. 46, pp. 545-548.
- Junkersdorf, B., Bauer, H. & Gutzeit, H. O. (2000). Electromagnetic fields enhance the stress response at elevated temperatures in the nematode *Caenorhabditis elegans*. *Bioelectromagnetics* **21**, 100-6.
- Juutilainen, J., Laara, E. & Pukkala, E. (1990). Incidence of leukemia and brain tumors in Finnish workers exposed to ELF magnetic fields. *Int Arch Occup Environ Health* **62**, 289-293.
- Juutilainen, J., Matilainen, P., Saarikoski, S., *et al.* (1993). Early pregnancy loss and exposure to 50-Hz magnetic fields. *Bioelectromagnetics* **14**, 229-236.
- Juutilainen, J. P., E. (1988). Results of epidemiological cancer study among electrical workers in Finland. *J Bioelectricity* **7**, 119-121.
- Kalmijn, A. J. (1971). The electric sense of sharks and rays. *J Exp Biol* **55**, 371-83.
- Kaune, W. (1994a). Residential magnetic field measurements in previously measured Denver, Colorado homes. A peer-reviewed report prepared for

- the California Department of Health Services by Enertech Consultants and EM Factors.
- Kaune, W. (1994b). Study of high and low current configuration homes inhabited by case and control subjects from the Denver childhood cancer study., A peer reviewed report prepared for the California Department of Health Services by Enertech Consultants and EM Factors.
- Kaune, W., Davis, S. & Stevens, R. (1997). Relation between residential magnetic fields light-at-night and nocturnal urine melatonin levels in women. In *EPRI*.
- Kaune, W. T., Dovan, T., Kavent, R. I., *et al.* (2002). Study of high- and low-current-configuration homes from the 1988 Denver childhood cancer study. *Bioelectromagnetics* **23**, 177-88.
- Kavaliers, M., Choleris, E. & Prato, F. S. (1998). Evidence for the involvement of nitric oxide and nitric oxide synthase in the modulation of opioid-induced antioception and the inhibitory effects of exposure to 60 Hz magnetic fields in the land snail. *Brain Research* **809**, 50-57.
- Kavaliers, M., Wiebe, J. P. & Ossenkopp, K. P. (1998). Brief exposure of mice to 60 Hz magnetic fields reduces the analgesic effects of the neuroactive steroid, 3alpha-hydroxy-4-pregnen-20-one. *Neurosci Lett* **257**, 155-8.
- Kavet, R., Zaffanella, L. E., Daigle, J. P., *et al.* (2000). The possible role of contact current in cancer risk associated with residential magnetic fields. *Bioelectromagnetics* **21**, 538-53.
- Kelsh, M. S., JD. (1997). Mortality among a cohort of electric utility workers, 1960-1991. *American Journal of Industrial Medicine* **31**, 534-544.
- Kheifets, L., Afifi, A. A., Buffler, P. A., *et al.* (1997a). Occupational electric and magnetic field exposure and leukemia. *JOEM* **39**, 1074-1091.
- Kheifets, L., London, S. & Peters, J. (1997b). Leukemia risk and occupational electric exposure in Los Angeles County, California. *Amer J of Epidemiology* **146**, 87-90.
- Kheifets, L. I. (2001). Electric and magnetic field exposure and brain cancer: a review. *Bioelectromagnetics*, S120-S131.
- Kheifets, L. I., Afifi, A. A., Buffler, P. A., *et al.* (1995). Occupational electric and magnetic field exposure and brain cancer: a meta-analyses. *JOEM* **37**, 1327-1341.
- Kheifets, L. I., Gilbert, E. S., Sussman, S. S., *et al.* (1999). Comparative analyses of the studies of magnetic fields and cancer in electric utility workers: studies from France, Canada, and the United States. *Occup Environ Med* **56**, 567-74.
- Kikuchi, T., Ogawa, M., Otaka, Y., *et al.* (1998). Multigeneration exposure test of *Drosophila melanogaster* to ELF magnetic fields. *Bioelectromagnetics* **19**, 335-40.
- Kliukiene, J., Tynes, T. & Martinsen, J. I. (1999). Incidence of breast cancer in a Norwegian cohort of women with potential workplace exposure to 50 Hz magnetic fields. *Amer J of Ind Medicine* **36**, 147-54.
- Knave, B., Gamberale, F., Bergstrom, S., *et al.* (1979). Long-term exposure to electric fields. *Sc & J Work Environ Health* **5**, 115-125.
- Koch, W. E. & Koch, B. A. (1991). Exposure of chicken embryos to selected magnetic fields. *Journal of Bioelectricity* **19**, 65-80.
- Koch, W. E., Koch, B. A., Martin, A. H., *et al.* (1993). Examination of the development of chicken embryos following exposure to magnetic fields. *Comp Physiol* **105**, 617-24.
- Komeva, H. A., Grigoriev, V. A., Isaeva, E. N., *et al.* (1999). Effects of low-level 50 Hz magnetic fields on the level of host defense and on spleen colony formation. *Bioelectromagnetics* **20**, 57-63.
- Kondo, K. & Tsubaki, T. (1981). Case-control studies of motor neuron disease: association with mechanical injuries. *Arch Neurol* **38**, 220-226.
- Kubinyi, G., Thuroczy, G., Sinay, H., *et al.* (1998). Magnetic field and the initial phase of the protein synthesis in newborn and adult mice. *Electro-Magnetobiol.* **17**, 161-169.
- Kuijten, R. R. & Bunin, G. R. (1993). Risk factors for childhood brain tumors. *Cancer Epidemiology, Biomarkers, and Prevention* **2**, 277-288.
- Kuijten, R. R., Bunin, G. R. & Nass, C. C. (1990). Gestational and familial risk factors for childhood astrocyoma: results of a case control study. *Cancer Research* **50**, 2608-2612.
- Kula, B., Grzeski, J., Wardas, M., *et al.* (1998). Effects of magnetic field on hyaluronidase and .beta.-D-glucuronidase activity and on hyaluronic acid and chondroitin sulfate levels in rat liver. *Electro-Magnetobiol.* **17**, 361-6.
- Kumlin, T., Alhonen, L., Janne, J., *et al.* (1998b). Epidermal ornithine decarboxylase and polyamines in mice exposed to 50 Hz magnetic fields and UV radiation. *Bioelectromagnetics* **19**, 388-91.
- Kumlin, T., Kosma, V. M., Alhonen, L., *et al.* (1998a). Effects of 50 Hz magnetic fields on UV-induced skin tumorigenesis in ODC-transgenic and non-transgenic mice. *Int J Radiat Biol* **73**, 113-21.

- Kurppa, K. H., PC; Rantala, K; Nurminen, T; Saxen, L. (1985). Birth defects and exposure to video display terminals during pregnancy. A Finnish case-referent study. *Scand J Work Environ Health* **11**, 353-6.
- Kurtzke, J. B., G. (1980). Epidemiology of amyotrophic lateral sclerosis: 1. A case-control comparison based on ALS deaths. *Neurology* **30**, 453-462.
- Lai, H. & Carino, M. (1998). Interacerebroventricular injection of mu- and delta-opiate receptor antagonists block 60 Hz magnetic field-induced decreases in cholinergic activity in the frontal cortex and hippocampus of the rat. In *Bioelectromagnetics*.
- Lai, H. & Carino, M. (1999). 60 Hz magnetic fields and central cholinergic activity: effects of exposure intensity and duration. *Bioelectromagnetics* **20**, 284-9.
- Landry, P. S., Sadasivan, K. K., Marino, A. A., et al. (1997). Electromagnetic fields can affect osteogenesis by increasing the rate of differentiation. *Clin Orthop* **338**, 262-70.
- Langholz, B. (2001). Factors that explain the power line configuration wiring code-childhood leukemia association: What would they look like? *Bioelectromagnetics*, S19-S31.
- Leal, J., Shamsaifar, K., Trillo, M. A., et al. (1989). Embryonic development and weak changes of the geomagnetic field. *J of Bioelectricity* **7**, 141-53.
- Lee, G., Neutra, R., Hristova, L., et al. (2000). The use of electric bed heaters and the risk of clinically recognized spontaneous abortion. *Epidemiology* **11**, 406-415.
- Lee, G. M., Neutra, R. R., Hristova, L., et al. (2002). A nested case-control study of residential and personal magnetic field measures and miscarriages. *Epidemiology* **13**, 21-31.
- Lee, J. H. & McLoed, K. J. (1998). Morphologic responses of osteoblast-like cells in monolayer culture to ELF electromagnetic fields. In *Bioelectromagnetics*.
- Li, C.-Y., Theriault, G. & Lin, R. S. (1997). Residential exposure to 60 Hz magnetic fields and adult cancers in Taiwan. *Epidemiology* **8**, 25-30.
- Li, D.-K., Checkoway, H. & Mueller, B. A. (1995). Electric blanket use during pregnancy in relation to the risk of congenital urinary tract anomalies among women with a history of subfertility. *Epidemiology* **6**, 485-489.
- Li, D. K. & Neutra, R. R. (2002). Letter: Magnetic fields and miscarriage. *Epidemiology* **13**, 237.
- Li, D. K., Odouli, R., Wi, S., et al. (2002). A population-based prospective cohort study of personal exposure to magnetic fields during pregnancy and the risk of miscarriage. *Epidemiology* **13**, 9-20.
- Liburdy, R. P., Sloma, T. R., Sokolic, R., et al. (1993). ELF magnetic fields, breast cancer, and melatonin: 60 Hz fields block melatonin's oncostatic action on ER+ breast cancer cell proliferation. *J of Pineal Research* **14**, 89-97.
- Lin, R. S., Dischinger, P. C., Conde, J., et al. (1985). Occupational exposure to electromagnetic fields and the occurrence of brain tumors: an analysis of possible associations. *J of Occupational Medicine* **27**, 413-419.
- Lindbohm, M.-L., Hietanen, M., Kyronen, P., et al. (1992). Magnetic fields of video display terminals and spontaneous abortion. *Amer J of Epidemiology* **136**, 1041-1051.
- Lindley, D. V. (2000). The philosophy of statistics. *The Statistician* **49**, 293-337.
- Linet, M., Hatch, E. E., Kleinerman, R. A., et al. (1997). Residential exposure to magnetic fields and acute lymphoblastic leukemia in children. *New England J Medicine* **337**, 1-7.
- Litovitz, T. A., Montrose, C. J., Doinov, P., et al. (1994). Superimposing spatially coherent electromagnetic noise inhibits field-induced abnormalities in developing chick embryos. *Bioelectromagnetics* **15**, 105-113.
- London, S. J. (1991). Outline: residential electromagnetic fields (EMF) and cancer risk.
- London, S. J., Bowman, J. D., Sobel, E., et al. (1994). Exposure to magnetic fields among electrical workers in relation to leukemia risk in Los Angeles county. *Amer J of Ind Medicine* **26**, 47-60.
- London, S. J., Thomas, D. C., Bowman, J. D., et al. (1991). Exposure to residential electric and magnetic fields and risk of childhood leukemia. *Amer J of Epidemiology* **134**, 923-937.
- Loomis, D. P. (1992). Cancer of breast among men in electrical occupations. *Lancet* **339**, 1482-1483.
- Loomis, D. P. & Savitz, D. A. (1990). Mortality from brain cancer and leukaemia among electrical workers. *British J of Ind Medicine* **47**, 633-8.
- Loomis, D. P., Savitz, D. A. & Ananth, C. V. (1994). Breast cancer mortality among female electrical workers in the United States. *J of the National Cancer Institute* **86**, 921-925.
- Loomis, D. P. S., D. A. (1991). Occupation and leukemia among men in 16 states: 1985-1987. *Am J Indust Medicine* **19**, 509-521.
- Loscher, W., Mevissen, M. & Haussler, B. (1997). Seasonal influence on 7,12-dimethylbenz[a]anthracene-induced mammary carcinogenesis in Sprague-Dawley rats under controlled laboratory conditions. *Pharmacol Toxicol* **81**, 265-70.

- Loscher, W., Mevissen, M., Lehmacher, W., *et al.* (1993). Tumor promotion in a breast cancer model by exposure to a weak alternating magnetic field. *Cancer Letters* **71**, 75-81.
- Loscher, W., Mevissen, M. & Lerchl, A. (1998). Exposure of female rats to a 100-microT 50 Hz magnetic field does not induce consistent changes in nocturnal levels of melatonin. *Radiation Research* **150**, 557-67.
- Loscher, W., Wahnschaffe, U., Mevissen, M., *et al.* (1994). Effects of weak alternating magnetic fields on nocturnal melatonin production and mammary carcinogenesis in rats. *Oncology* **51**, 288-295.
- Magnani, C., Coggon, D., Osmond, C., *et al.* (1987). Occupation and five cancers: a case-control study using death certificates. *Br J Ind Med* **44**, 769-76.
- Mandeville, R., Franco, E., Sidrac-Ghali, S., *et al.* (2000). Evaluation of the potential promoting effect of 60 Hz magnetic fields on N-ethyl-N-nitrosourea induced neurogenic tumors in female F344 rats. *Bioelectromagnetics* **21**, 84-93.
- Martin, A. H. (1988). Magnetic fields and time dependent effects on development. *Bioelectromagnetics* **9**, 393-396.
- Martin, A. H. (1992). Development of chicken embryos following exposure to 60-Hz magnetic fields with differing waveforms. *Bioelectromagnetics* **13**, 223-230.
- Martin, A. H. & Moses, G. C. (1995). Effectiveness of noise in blocking electromagnetic effects on enzyme activity in the chick embryo. *Biochem Mol Biol Int* **36**, 87-94.
- Martin, G. M., NM; Myers, G; *et al.* (1987). Heart rate variability and sudden death secondary to coronary artery disease during ambulatory electrocardiographic monitoring. *Am J Cardiol* **60**, 86-89.
- Matanoski, G. M., Elliott, E. A., Breysse, P. N., *et al.* (1993). Leukemia in telephone linemen. *Am J Epidemiol* **137**, 609-19.
- Matanowski, G. M., Breysse, P. N. & Elliott, E. A. (1991). Electromagnetic field exposure and male breast cancer. In *Lancet*, vol. 337, pp. 737.
- McBride, M. L., Gallagher, R. P., Theriault, G., *et al.* (1999). Power-frequency electric fields and risk of childhood leukemia in Canada. *Amer J of Epidemiology* **149**, 831-842.
- McCull, R. M., Husted, J., Paoli, G. M., *et al.* (1996). A framework for assessing and combining evidence for the carcinogenicity of environmental agents: a prototype system. Institute for Risk Research, University of Waterloo, Waterloo, Ontario, Canada.
- McCormick, D., Boorman, G., Findlay, J., *et al.* (1999). Chronic Toxicity/Oncogenicity evaluation of 60hz (power frequencies) magnetic fields in B6C3F mice. *Toxicologic Pathology* **27**, 279-285.
- McCormick, D. L., Ryan, B. M., Findlay, J. C., *et al.* (1998). Exposure to 60 Hz magnetic fields and risk of lymphoma in PIM transgenic and TSG-p53 (p53 knockout) mice. *Carcinogenesis* **19**, 1649-53.
- McCredie, M. M., P; Boyle, P. (1994). Perinatal and early postnatal risk factors for malignant brain tumors in New South Wales children. *Int J Cancer* **56**, 11-15.
- McDonald, A. D., Cherry, N. M. & Delorme, C. (1986). Visual display units and pregnancy: evidence from the Montreal survey. *J Occupational Medicine* **28**, 1226-1231.
- McDonald, A. M., JC; Armstrong, B; Cherry, N; Nolin, AD; Robert, D. (1988). Work with visual display units in pregnancy. *Br J Ind Med* **45**, 509-515.
- McDowall, M. E. (1983). Leukaemia mortality in electric workers in England and Wales. *Lancet* **1**, 246.
- McDowall, M. E. (1986). Mortality of persons resident in the vicinity of electricity transmission facilities. *Br J Cancer* **53**, 271-279.
- McGuire, V., Longstreth, T. W., Nelson, L. M., *et al.* (1997). Occupational exposures and amyotrophic lateral sclerosis. *Am J Epidemiol* **145**, 1076-88.
- McLaughlin, J. K., Malker, H. S., Blot, W. J., *et al.* (1987). Occupational risks for intracranial gliomas in Sweden. *J Natl Cancer Inst* **78**, 253-7.
- McMahan, S., Ericson, J. & Meyer, J. (1994). Depressive symptomatology in women and residential proximity to high voltage power lines. *Amer J of Epidemiology* **139**, 58-63.
- McMillan, G. (1983). The health of welders in naval dockyards. *J Soc Occup Med* **33**, 75-85.
- Mevissen, M., Haussler, M. & Loscher, W. (1999). Alterations in ornithine decarboxylase activity in the rat mammary gland after different periods of 50 Hz magnetic field exposure. *Bioelectromagnetics* **20**, 338-46.
- Mevissen, M., Haussler, M., Szamel, M., *et al.* (1998). Complex effects of long-term 50 Hz magnetic field exposure in vivo on immune functions in female Sprague-Dawley rats depend on duration of exposure. *Bioelectromagnetics* **19**, 259-270.
- Mevissen, M., Lerchl, A. & Loscher, W. (1996a). Study on pineal function and DMBA-induced breast cancer formation in rats during exposure to a 100-

- mG, 50 Hz magnetic field. *J of Toxicology & Environmental Health* **48**, 169-185.
- Mevissen, M., Lerchl, A., Szamel, M., *et al.* (1996b). Exposure of DMBA-treated female rats in a 50 Hz, 50 microtesla magnetic field: effects on mammary tumor growth, melatonin levels, and T lymphocyte activation. *Carcinogenesis* **17**, 903-910.
- Mevissen, M., Stamm, A., Buntenkotter, S., *et al.* (1993). Effects of magnetic fields on mammary tumor development induced by 7, 12-dimethylbenz(a)anthracene in rats. *Bioelectromagnetics* **14**, 131-143.
- Michaelis, J., Schuz, H., Meiner, R., *et al.* (1997b). Combined risk estimates for two German population-based case-control studies on residential magnetic fields and childhood acute leukemia. *Epidemiology* **9**, 92-94.
- Michaelis, J., Schuz, J., Meinert, R., *et al.* (1997a). Childhood leukemia and electromagnetic fields: results of a population-based case-control study in Germany. *Cancer Causes & Control* **8**, 167-174.
- Milham, S. (1982). Mortality from leukemia in workers exposed to electrical and magnetic fields (Letter). *New England J Medicine* **307**, 249.
- Milham, S. (1985). Silent keys: leukaemia mortality in amateur radio operators. *Lancet* **1**, 812.
- Milham, S. (1985b). Mortality in workers exposed to electromagnetic fields. *Environmental Health Perspectives* **62**, 297-300.
- Milham, S. (1988). Increased mortality in amateur radio operators due to lymphatic and hematopoietic malignancies. *Amer J of Epidemiology* **127**, 50-54.
- Milham, S. & Ossiander, E. M. (2001). Historical evidence that residential electrification caused the emergence of the childhood leukemia peak. *Medical Hypotheses* **56**, 290-5.
- Miller, A. B., To, T., Agnew, D. A., *et al.* (1996). Leukemia following occupational exposure to 60 Hz electric and magnetic fields among Ontario electric utility workers. *Amer J of Epidemiology* **144**, 150-160.
- Milunsky, A., Ulcickas, M., Rothman, K. J., *et al.* (1992). Maternal heat exposure and neural tube defects. *JAMA* **268**, 882-5.
- Minder, C. E. & Pfluger, D. H. (2001). Leukemia, brain tumors, and exposure to extremely low frequency electromagnetic fields in Swiss railway employees. *Am J Epidemiol* **153**, 825-35.
- Morris, J. E., Sasser, L. B., Miller, D. L., *et al.* (1999). Clinical progression of transplanted large granular lymphocytic leukemia in Fischer 344 rats exposed to 60 Hz magnetic fields. *Bioelectromagnetics* **20**, 48-56.
- Morton, W. M., D. (1984). Leukemia incidence by occupation in the Portland-Vancouver metropolitan area. *Am J Ind Med* **6**, 185-205.
- Moses, G. C. & Martin, A. H. (1992). Effects of extremely low-frequency electromagnetic fields on three plasma membrane-associated enzymes in early chicken embryos. *Biochem Int* **28**, 659-664.
- Moses, G. C. & Martin, A. H. (1993). Effect of magnetic fields on membrane associated enzymes in chicken embryos, permanent or transient? *Biochem Mol Biol Int* **29**, 757-62.
- Myers, A., Clayden, A. D., Cartwright, R. A., *et al.* (1990). Childhood cancer and overhead powerlines: a case-control study. *British J of Cancer* **62**, 1008-1014.
- NAS, NRC, Stevens, *et al.* (1997). *Possible health effects of exposure to residential electric and magnetic fields*. National Academy Press, Washington D.C.
- Neutra, R. (1990). Counterpoint from a cluster buster. *Am J of Epidemiol* **132**, 1-9.
- Neutra, R. & DelPizzo, V. (2001). Richer conceptualization of "exposure" for epidemiological studies of the "EMF mixture". *Bioelectromagnetics*, S48-S58.
- Neutra, R. R. (2001). Panel exploring pro and con arguments as to whether EMFs cause childhood brain cancer. *Bioelectromagnetics Supplement* **5**, S144-S149.
- NIEHS, Portier, C. J. & Wolf, M. S. (1998). Assessment of Health Effects from Exposure to Power-Line Frequency Electric and Magnetic Fields (NIEHS Working Group Report). NIEHS EMFRAPID, Research Triangle Park, NC.
- NIEHS. (1999). Health effects from exposure to power-line frequency electric and magnetic fields. NIH Publication No. 99-4493.
- Nielsen, C. V. & Brandt, L. P. A. (1990). Spontaneous abortion among women using video display terminals. *Scand J Work Environ Health* **16**, 323-8.
- Nordstrom, S., Birke, E. & Gustavsson, L. (1983). Reproductive hazards among workers at high voltage substations. *Bioelectromagnetics* **4**, 91-101.
- NRPB. (2001a). ELF electromagnetic fields and neurodegenerative disease. In *Report of an advisory group on non-ionising radiation*, vol. 12.
- NRPB. (2001b). ELF electromagnetic fields and the risk of cancer. Report of an advisory group on non-ionising radiation, vol. 12.
- Olin, R., Vagero, D. & Ahlbom, A. (1985). Mortality experience of electrical engineers. *British J of Ind Medicine* **42**, 211-212.
- Olsen, J. H., Nielsen, A. & Schulgen, G. (1993). Residence near high voltage facilities and risk of cancer in children. *BMJ* **307**, 891-899.

- Olsen, J. H. J., O M. (1987). Occupation and risk of cancer in Denmark. *Scand J Work Environ Health* **13**, 1-91.
- Pafkova, H. & Jerabek, J. (1994). Interaction of MF 50 Hz, 10 mT with high dose of X-rays: evaluation of embryotoxicity in chick embryos. *Rev Environ Health* **10**, 235-241.
- Pafkova, H., Jerabek, J., Tejnorova, I., *et al.* (1996). Developmental effects of magnetic field (50 Hz) in combination with ionizing radiation and chemical teratogens. *Toxicology Letters* **88**, 313-316.
- Pafkova, H., Tejnorova, I. & Jerabek, J. (1994). Study of the effects of 50 Hz magnetic field on embryonic development: dependence on field level and field vector. *Reviews on Environmental Health* **10**, 225-233.
- Park, R. L. (1992). What's New: Prudent waste? Research on EMF would only waste \$10m/year, American Physics Society Web Site <http://www.aps.org/WN/WN92/wn031392.html>.
- Pearce, N., Reif, J. & Fraser, J. (1989). Case-control studies of cancer in New Zealand electrical workers. *International J of Epidemiology* **18**, 55-59.
- Pearce, N. E., Sheppard, R. A., Howard, J. K., *et al.* (1985). Leukaemia in electrical workers in New Zealand (Letter). *Lancet* **1**, 811-812.
- Pearce, N. E., Sheppard, R. A., Howard, J. K., *et al.* (1986). Leukemia among New Zealand agricultural workers. A cancer registry-based study. *Am J Epidemiol* **124**, 402-9.
- Pearson, R. L., Wachtel, H. & Ebi, K. L. (2000). Distance-weighted traffic density in proximity to a home is risk factor for leukemia and other childhood cancers. *J Air Waste Manage Assoc* **50**, 175-180.
- Perry, F. S., Pearl, L. & Binns, R. (1989). Power frequency magnetic field; depressive illness and myocardial infarction. *Public Health* **103**, 177-180.
- Perry, F. S., Reichmanis, M. & Marino, A. A. (1981). Environmental power-frequency magnetic fields and suicide. *Health Physics* **41**, 267-277.
- Petralia, S. A., Chow, W.-H. & McLaughlin, J. (1998). Occupational risk factors for breast cancer among women in Shanghai. *Amer J Industrial Med* **34**, 477-483.
- Petridou, E., Kassimos, D., Kalmati, M., *et al.* (1993). Age of exposure to infections and risk of childhood leukaemia. *BMJ* **307**, 774.
- Pfaundler, M. & Schlossmann, A. (1908). In *The Diseases of Children*, vol. 2, pp. 158-164. Lippincott Company, Philadelphia.
- Pfaundler, M. & Schlossmann, A. (1935). In *The Diseases of Children*, vol. 2, pp. 214-230. Lippincott Company, Philadelphia.
- Pfluger, D. H. & Minder, C. E. (1996). Effects of exposure to 16, 7 Hz magnetic fields on urinary 6-hydroxymelatonin sulfate excretion of swiss railway workers. *J of Pineal Research* **21**, 91-100.
- Picazo, M. L., Catala, M. D., Romo, M. A., *et al.* (1998). Inhibition of melatonin in the plasma of third-generation male mice under the action of ELF magnetic fields. *Electro-Magnetobiol.* **17**, 75-85.
- Picazo, M. L., De Miguel, M. P., Leyton, V., *et al.* (1995a). Long-term effects of ELF magnetic fields on the mouse testis and serum testosterone levels. *Electro- & Magnetobiology* **14**, 127-134.
- Picazo, M. L., Sanz, P., Vallejo, D., *et al.* (1995b). Effects of ELF magnetic fields on hematological parameters: an experimental model. *Electro- & Magnetobiology* **14**, 75-89.
- Piera, V., Rodriguez, A., Cobos, A., *et al.* (1992). Influence of continuous electromagnetic fields on the stage, weight and stature of the chick embryo. *Acta Anat* **145**, 302-306.
- Polednak, A. P. (1981). Mortality among welders, including a group exposed to nickel oxides. *Arch Environ Health* **11**, 75-82.
- Poole, C. (1996). Invited commentary: Evolution of epidemiologic evidence on magnetic fields and childhood cancers. *Amer J of Epidemiology* **143**, 129-132.
- Poole, C., Kavet, R., Funch, D. P., *et al.* (1993). Depressive symptoms and headaches in relation to proximity of residence to an alternating-current transmission line right-of-way. *Amer J of Epidemiology* **137**, 318-330.
- Portier, C. J. & Wolfe, M. S. (1998). Assessment of Health Effects from Exposure to Power-Line Frequency Electric and Magnetic Fields (NIEHS Working Group Report). NIEHS EMFRAPID, Research Triangle Park, NC.
- Potschka, H., Thun-Battersby, S. & Loscher, W. (1998). Effect of low-intensity 50-Hz magnetic fields on kindling acquisition and fully kindled seizures in rats. *Brain Res* **809**, 269-76.
- Preece, A. W., Kaune, W. T., Grainger, P., *et al.* (1999). Assessment of human exposure to magnetic fields produced by domestic appliances. *Radiation Protection Dosimetry* **83**, 21-27.
- Preston-Martin, S., Gurney, J. G., Pogoda, J. M., *et al.* (1996). Brain tumor risk in children in relation to use of electric blankets and waterbed heaters. Results from the United States West Coast childhood brain tumor study. *Amer J of Epidemiology* **143**, 1116-1122.

- Preston-Martin, S., Navidi, W., Thomas, D., *et al.* (1996b). Los Angeles study of residential magnetic fields and childhood brain tumors. *Amer J of Epidemiology* **143**, 105-119.
- Preston-Martin, S. & Peters, J. M. (1988). Prior employment as a welder associated with the development of chronic myeloid leukaemia. *British J of Cancer* **58**, 105-108.
- Preston-Martin, S. M., W; Henderson, BE. (1989). Risk factors for gliomas and meningiomas in males in Los Angeles County. *Cancer Res* **49**, 6137-43.
- Reichmanis, M., Perry, F. S., Marino, A. A., *et al.* (1979). Relation between suicide and the electromagnetic field of overhead power lines. *Physiological Chemistry & Physics* **11**, 395-403.
- Reif, J. S., Lower, K. S. & Ogilvie, G. K. (1995). Residential exposure to magnetic fields and risk of canine lymphoma. *Amer J of Epidemiology* **141**, 352-359.
- Reiter, R. J. (1998). Melatonin in the context of the reported bioeffects of environmental electromagnetic fields. In *Bioelectrochemistry & Bioenergetics*, vol. 47, pp. 135-142.
- Rencova, J., Jerabek, J. & Volf, V. (1997). Effect of 50-Hz electromagnetic field on the retention of toxic radionuclides in rat tissues. *Rev Environ Health* **12**, 171-8.
- Reynolds, P., Elkin, E., Scalf, R., *et al.* (2001). Case control pilot study of traffic exposures and early childhood leukemia using a geographic information system. *Bioelectromagnetics*, S58-S68.
- Richardson, S. Z. R. B.-G., S. (1992). Occupational risk factors for acute leukemia: a case control study. *Int J Epidemiology* **21**, 1063-1073.
- Robert, E., Harris, J. A., Robert, O., *et al.* (1996). Case-control study on maternal residential proximity to high voltage power lines and congenital anomalies in France. *Pediatric & Perinatal Epidemiology* **10**, 32-38.
- Robinson, C. F., Lalich, N. R., Burnett, C. A., *et al.* (1991). Electromagnetic field exposure and leukemia mortality in the United States. *J of Occupational Medicine* **33**, 160-162.
- Rodriguez-Pinilla, E. M.-F., ML. (1995). Video display terminals: risk of trisomy 18? *Clin Genet* **47**, 335-6.
- Roman, E., Beral, V., Pelerin, M., *et al.* (1992). Spontaneous abortion and work with visual display units. *British J of Ind Medicine* **49**, 507-512.
- Romo, M. A., Picazo, M. L., Demiguel, M. P., *et al.* (1997). Histopathological changes in mouse adrenal gland under second-generation chronic exposure to 50-Hz magnetic fields. 2. females. *Electro-Magnetobiol.* **16**, 177-193.
- Rosenbaum, P. F., Vena, J. E., Zielezny, M. A., *et al.* (1994). Occupational exposures associated with male breast cancer. *Amer J of Epidemiology* **139**, 30-36.
- Royall, R. M. (1997). *Statistical Evidence: A likelihood paradigm*. Chapman & Hall/CRC, Boca Raton.
- Ryan, B. M., Symanski, R. R., Pomeranz, L. E., *et al.* (1998). Multi-generation reproductive toxicity assessment of 60 Hz magnetic fields using a continuous breeding protocol in rats. *Teratology* **59**, 156-162.
- Ryan, P., Lee, M. W., North, J. B., *et al.* (1992). Risk factors for tumors of the brain and meninges: results from the adelaide adult brain tumor study. *International J of Cancer* **51**, 20-27.
- Sahl, J. D., Kelsh, M. A. & Greenland, S. (1993). Cohort and nested case-control studies of hematopoietic cancers and brain cancer among electric utility workers. *Epidemiology* **4**, 104-114.
- Salzberg, M. R., Farish, S. J. & DelPizzo, V. (1992). An analysis of associations between social class and ambient magnetic fields in metropolitan Melbourne. *Bioelectromagnetics* **13**, 163-7.
- Sasser, L. B., Anderson, L. E., Morris, J. E., *et al.* (1998). Lack of co-promoting effect of a 60 Hz magnetic field on skin tumorigenesis in sencar mice. *Carcinogenesis* **19**, 17-21.
- Sastre, A., Cook, M. R. & Graham, C. (1998). Nocturnal exposure to intermittent 60 Hz magnetic fields alter human cardiac rhythm. *Bioelectromagnetics* **19**, 98-106.
- Savettieri, G., Salemi, G., Arcara, A., *et al.* (1991). A case-control study of amyotrophic lateral sclerosis. *Neuroepidemiology* **10**, 242-245.
- Savitz, D., Checkoway, H. & Loomis, D. (1998a). Magnetic field exposure and neurodegenerative disease mortality among electric utility workers. *Epidemiology* **9**, 398-404.
- Savitz, D., Loomis, D. & Chiu-Kit, T. (1998b). Electrical occupations and neurodegenerative disease: analysis of U.S. mortality data. *Archives of Environmental Health* **53**, 71-4.
- Savitz, D. A., Boyle, C. A. & Holmgren, P. (1994). Prevalence of depression among electrical workers. *Amer J of Ind Medicine* **25**, 165-176.
- Savitz, D. A., CV. (1994). Residential magnetic fields, wire codes, and pregnancy outcome. *Bioelectromagnetics* **15**, 271-3.

- Savitz, D. A., John, E. W. & Kleckner, R. C. (1990). Magnetic field exposure from electric appliances and childhood cancer. *Amer J of Epidemiology* **131**, 763-773.
- Savitz, D. A., Liao, D., Sastre, A., *et al.* (1999). Magnetic field exposure and cardiovascular disease mortality among electric utility workers. *Epidemiology* **149**, 135-142.
- Savitz, D. A. & Loomis, D. P. (1995). Magnetic field exposure in relation to leukemia and brain cancer mortality among electric utility workers. *Amer J of Epidemiology* **141**, 123-134.
- Savitz, D. A., Wachtel, W., Barnes, F. A., *et al.* (1988). Case-control study of childhood cancer and exposure to 60 Hz magnetic fields. *Amer J of Epidemiology* **128**, 21-38.
- Savitz, D. L., D; Sastre, A; Kleckner, RC. (1998). Magnetic field exposure and cardiovascular disease mortality among electric utility workers. *Epidemiology* **149**, 135-142.
- Scarfi, M. R., Prisco, F., Lioi, M. B., *et al.* (1997). Cytogenic effects induced by extremely low frequency pulsed magnetic fields in lymphocytes from Turner's syndrome subjects. *Bioelectrochemistry & Bioenergetics* **43**, 221-226.
- Schlehofer, B., Kuaze, S., Sachseheimer, W., *et al.* (1990). Occupational risk factors for brain tumors: results from a population based case-control study in Germany. *Cancer Causes & Control* **1**, 209-215.
- Schnorr, T. M., Grajewski, B. A., Hornung, R. W., *et al.* (1991). Video display terminals and the risk of spontaneous abortion. *New England J Medicine* **324**, 727-733.
- Schreiber, G. H., Swaen, G. M., Meijers, J. M., *et al.* (1993). Cancer mortality and residence near electricity transmission equipment: a retrospective cohort study. *International J of Epidemiology* **22**, 9--15.
- Selmaoui, B. & Touitou, Y. (1999). Age-related differences in serum melatonin and pineal NAT activity and in the response of rat pineal to a 50-Hz magnetic field. *Life Sci* **64**, 2291-7.
- Severson, R. K., Stevens, R. G., Kaune, W. T., *et al.* (1988). Acute nonlymphocytic leukemia and residential exposure to power frequency magnetic fields. *Amer J of Epidemiology* **128**, 10-20.
- Shortliffe, E., Perreault, L., Widerhold, G., *et al.* (2001). In *Medical Informatics*, pp. 573. Springer Verlag, New York.
- Sienkiewicz, Z. J., Haylock, R. G. E. & Saunders, R. D. (1998). Deficits in spatial learning after exposure of mice to a 50 Hz magnetic field. *Bioelectromagnetics* **19**, 79-84.
- Simonato, L., Fletcher, A. C., Andersen, A., *et al.* (1991). A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med* **48**, 145-154.
- Singh & *et al.* (1991). *J. Anat. Soc. India* **39**, 41-47.
- Singh, N. & Lai, H. (1998). 60 Hz magnetic field exposure induces DNA crosslinks in rat brain cells. *Mutation Research* **400**, 313-320.
- Singh, S., Kaur, M. & Khanduja, K. L. (1999). Exposure to 50-Hz sinusoidal electromagnetic field induces changes in the antioxidant defense system and inhibits lipid peroxidation in mice. *Electro- & Magnetobiology* **18**, 7-14.
- Singh, S., Khanduja, K. L. & Mittal, P. K. (1998). Influence of 50-Hz sinusoidal electromagnetic field on hepatic and pulmonary phase I and II drug-metabolizing enzymes in mice. *Electro- & Magnetobiology* **17**, 311-318.
- Sobel, E., Davanipour, Z., Sulkava, R., *et al.* (1995). Occupations with exposure to electromagnetic fields: a possible risk factor for Alzheimer's disease. *Amer J of Epidemiology* **142**, 515-523.
- Sobel, E., Dunn, M., Davanipour, Z., *et al.* (1996). Elevated risk of Alzheimer's disease among workers with likely electromagnetic field exposure. *Neurology* **47**, 1477-1481.
- Speers MA, D. J., Miller VS. (1988). Occupational exposures and brain cancer mortality: a preliminary study of east Texas residents. *Am J Ind Med* **13**, 629-38.
- Spinelli, J. B., PR; Svirchev, L M; *et al.* (1991). Mortality and cancer incidence in aluminum reduction plant workers. *J Occup Med* **33**, 1150-1155.
- Spitz, M. R. & Johnson, C. C. (1985). Neuroblastoma and paternal occupation. *Amer J of Epidemiology* **121**, 924-929.
- Stenlund, C. & Floderus, B. (1997). Occupational exposure to magnetic fields in relation to male breast cancer and testicular cancer: a Swedish case-control study. *Cancer Causes & Control* **8**, 184-191.
- Stern, F. B., Waxweiler, R. A., Beaumont, J. J., *et al.* (1986). A case control study of leukemia at a naval nuclear shipyard. *Amer J of Epidemiology* **123**, 980-992.
- Stern, S. & Laties, V. G. (1998). 60 Hz electric fields and incandescent light as aversive stimuli controlling the behavior of rats responding under concurrent schedules of reinforcement. *Bioelectromagnetics* **19**, 210-21.

- Svedenstal, B. M. & Johanson, K. J. (1998). 5-Iododeoxyuridine-I251 incorporation in vivo exposure to a 50 Hz magnetic field. *In Vivo* **12**, 531-4.
- Theriault, G., Goldberg, M., Miller, A., et al. (1994). Cancer risks associated with occupational exposure to magnetic fields among electric utility workers in Ontario and Quebec, Canada, and France: 1970-1989. *Amer J of Epidemiology* **139**, 550-572.
- Thierault, G. G., M; Miller, AB; et al. (1994). Cancer risks associated with occupational exposure to magnetic fields among electric workers in Canada and France. *American Journal of Epidemiology* **139**, 550-572.
- Thomas, T. L., Stolley, P. D., Stemhagen, A., et al. (1987). Brain tumor mortality risk among men with electrical and electronics jobs: a case-control study. *JNCI* **79**, 233-238.
- Thun-Battersby, S., Mevissen, M. & Loscher, W. (1999). Exposure of Sprague-Dawley rats to a 50 Hz, 100 uTesla magnetic field for 27 weeks facilitates mammary tumorigenesis in the 7,12-Dimethylbenz[a]-anthracene model of breast cancer. *Cancer Research* **59**, 3627-3633.
- Thun-Battersby, S., Westermann, J. & Loscher, W. (1999). Lymphocyte subset analyses in blood, semen, spleen and lymph nodes of female Sprague-Dawley rats after short or prolonged exposure to a 50 Hz 100-mT magnetic field. *Radiation Research* **152**, 436-443.
- Tikkanen, J. H., OP; Kurppa, K; Rantala, K. (1990). Cardiovascular malformations and maternal exposure to video display terminals during pregnancy. *Eur J Epidemiol* **6**, 61-6.
- Tipping, D. R., Chapman, K. E., Birley, A. J., et al. (1999). Observations on the effects of low frequency electromagnetic fields on cellular transcription in *Drosophila* larvae reared in field-free conditions. *Bioelectromagnetics* **20**, 129-31.
- Tola, S., Kalliomaki, P.-L., Pukkala, E., et al. (1988). Incidence of cancer among welders, platers, machinists, and pipe fitters in shipyards and machine shops. *Br J Ind Med* **45**, 209-218.
- Tomenius, L. (1986). 50-Hz electromagnetic environment and the incidence of childhood tumors in Stockholm county. *Bioelectromagnetics* **7**, 191-207.
- Tornqvist, S. (1998). Paternal work in the power industry: effects on children at delivery. *J of Occupational & Environmental Medicine* **40**, 111-117.
- Tornqvist, S., Knave, B., Ahlbom, A., et al. (1991). Incidence of leukaemia and brain tumours in some "electrical occupations". *British J Ind Med* **48**, 597-603.
- Tornqvist, S., Norell, S., Ahlbom, A & Knave, B. (1986). Cancer in the electric power industry. *British J of Ind Medicine* **43**, 212-213.
- Tsuji, H., Larson, M., Venditti, F., et al. (1996). Impact of reduced heart rate variability on risk for cardiac events. The Framington heart study. *Circulation* **94**, 2850-2855.
- Tynes, T., Andersen, A. & Langmark, F. (1992). Incidence of cancer in Norwegian workers potentially exposed to electromagnetic fields. *American J Epidemiology* **136**, 81-88.
- Tynes, T. & Haldorsen, T. (1997). Electromagnetic fields and cancer in children residing near Norwegian high-voltage power lines. *Amer J of Epidemiology* **145**, 219-226.
- Tynes, T., Hannevik, M., Andersen, A., et al. (1996). Incidence of breast cancer in Norwegian female radio and telegraph operators. *Cancer Causes Control* **7**, 197-204.
- Tynes, T., Jynge, H. & Vistnes, A. I. (1994a). Leukemia and brain tumors in Norwegian railway workers, a nested case-control study. *Amer J of Epidemiology* **139**, 645-653.
- Tynes, T., Reitan, J. B. & Andersen, A. (1994b). Incidence of cancer among workers in Norwegian hydroelectric power companies. *Scand J Work Environ Health* **20**, 339-44.
- Ubeda, A., Trillo, M. A., Chacon, I., et al. (1994). Chick embryo development can be irreversibly altered by early exposure to weak extremely-low-frequency magnetic fields. *Bioelectromagnetics* **15**, 385-398.
- UKCSS, I. (1999). Exposure to power-frequency magnetic fields and the risk of childhood cancer. *Lancet* **354**, 1925-31.
- Vagero, D., Ahlbom, A., Olin, R., et al. (1985). Cancer morbidity among workers in the telecommunications industry. *British J of Ind Medicine* **42**, 191-195.
- van Wijngaarden, E., Savitz, D. A., Kleckner, R. C., et al. (2000). Exposure to electromagnetic fields and suicide among electric utility worker: a nested case-control study. *Occup Environ Med* **57**, 258-363.
- Veicsteinas, A., Belleri, M., Cinquetti, A., et al. (1996). Development of chicken embryos exposed to an intermittent horizontal sinusoidal 50 Hz magnetic field. *Bioelectromagnetics* **17**, 411-424.
- Vena, J. E., Freudenheim, J. L., Marshall, J. R., et al. (1994). Risk of premenopausal breast cancer and use of electric blankets. *Amer J of Epidemiology* **140**, 974-979.

- Vena, J. E., Graham, S., Hellmann, R., *et al.* (1991). Use of electric blankets and risk of postmenopausal breast cancer. *Amer J of Epidemiology* **134**, 180-185.
- Vera, R., Picazo, M. L. & Royuela, M. (1999). Bone density changes in mouse offspring after 50-Hz, 15- μ T electromagnetic field long-term exposure of two generations. *Electro- & Magnetobiology* **18**, 79-92.
- Verkasalo, P., Heikkilä, K., Pukkala, E., *et al.* (1994). Risk of cancer and exposure to power lines (letter). *BMJ* **308**, 1163.
- Verkasalo, P., Pukkala, E., Hongisto, M., *et al.* (1993). Risk of cancer in Finnish children living close to power lines. *BMJ* **307**, 895-899.
- Verkasalo, P., Pukkala, E., Kaprio, J., *et al.* (1996). Magnetic fields of high voltage power lines and risk of cancer in Finnish adults: nationwide cohort study. *BMJ* **313**, 1047-1051.
- Verkasalo, P. K., Kaprio, J., Varjonen, J., *et al.* (1997). Magnetic fields of transmission lines and depression. *American Journal of Epidemiology* **146**, 1037-1045.
- Vojtisek, M., Jerabek, J., Knotkova, J., *et al.* (1996). The influence of a magnetic field on manganese transport into rat brain. *Rev Environ Health* **11**, 229-33.
- von Winterfeldt, D. & *et al.* (2001). Powergrid policy analysis. Report to California Department of Health Services. www.dhs.ca.gov/ehib/emf.
- Vorobyov, V. V., Sosunov, E. A., Kukushkin, N. I., *et al.* (1998). Weak combined magnetic field affects basic and morphine-induced rat's EEG. *Brain Res* **781**, 182-7.
- Wartenberg, D. (1998). A meta-analysis of studies of childhood cancer and residential exposure to magnetic fields. In *Report for the National Institute of Environmental Health Sciences: Research Triangle Park NC*.
- Wartenberg, D. (2001). Residential EMF exposure and childhood leukemia: meta-analysis and population attributable to risk. *Bioelectromagnetics*, S86-S104.
- Weaver, J. C., Vaughan, T. E., Adair, R. K., *et al.* (1998). Theoretical limits on the threshold for the response of long cells to weak ELF electric fields due to ionic and molecular flux rectification. *Biophys J* **75**, 2251-4.
- Weaver, J. C., Vaughan, T. E. & Martin, G. T. (1999). Biological effects due to weak electric and magnetic fields: the temperature variation threshold. *Biophysical J* **76**, 3026-3030.
- Wertheimer, N. & Leeper, E. (1979). Electrical wiring configurations and childhood cancer. *Amer J of Epidemiology* **109**, 273-284.
- Wertheimer, N. & Leeper, E. (1982). Adult cancer related to electrical wires near the home. *International J of Epidemiology* **11**, 345-355.
- Wertheimer, N. & Leeper, E. (1986). Possible effects of electric blankets and heated waterbeds on fetal development. *Bioelectromagnetics* **7**, 13-22.
- Wertheimer, N. & Leeper, E. (1987). Magnetic field exposure related to cancer subtypes. *Annals New York Academy of Sciences* **502**, 43-54.
- Wertheimer, N. & Leeper, E. (1989). Fetal loss associated with two seasonal sources of electromagnetic field exposure. *Amer J of Epidemiology* **129**, 220-224.
- Westerholm, P. E., A. (1987). Pregnancy outcome and VDU-work in a cohort of insurance clerks. In: *Work with display units 86* (Knave B, Wideback PG, eds.) Elsevier, Amsterdam, 104-10.
- Wilson, B. W., Matt, K. S. & Morris, J. E. (1999). Effects of 60 Hz magnetic fields exposure on the pineal and hypothalamic-pituitary-gonadal axis in the siberian hamster (*Phodopus sungorus*). *Bioelectromagnetics* **20**, 224-232.
- Wilson, B. W., Wright, C. W. & Morris, J. E. (1990). Evidence for an effect of ELF electromagnetic fields on human pineal gland function. *J of Pineal Research* **9**, 259-269.
- Windham, G. C., Fenster, L., Swan, S. H., *et al.* (1990). Use of video display terminals during pregnancy and the risk of spontaneous abortion, low birthweight, or intrauterine growth retardation. *Amer J of Ind Medicine* **18**, 675-688.
- Wissing, H., Braun, H. A. & Schafer, K. (1988). Dynamic response characteristics of the ampullae of Lorenzini to thermal and electrical stimuli. *Prog Brain Res* **74**, 99-107.
- Wrensch, M., Yost, M., Rei, M., *et al.* (1999). Adult glioma in relation to residential power frequency electromagnetic field exposures in the San Francisco Bay Area. *Epidemiology* **10**, 523-527.
- Wright, W. E., Peters, J. M. & Mack, T. M. (1982). Leukaemia in workers exposed to electrical and magnetic fields (Letter to editor). *Lancet* **2**, 1160-1161.
- Yip, Y. P., Capriotti, C., Norbash, S. G., *et al.* (1994b). Effects of MR exposure on cell proliferation and migration of chick motoneurons. *J Magn Reson Imaging* **4**, 799-804.

- Yip, Y. P., Capriotti, C., Talagala, S. L., *et al.* (1994a). Effects of MR exposure at 1.5 T on early embryonic development of the chick. *J Magn Reson Imaging* **4**, 742-8.
- Youbicier-Simo, B. J., Boudard, F., Cabaner, C., *et al.* (1997). Biological effects of continuous exposure of embryos and young chickens to electromagnetic fields emitted by video display units. *Bioelectromagnetics* **18**, 514-23.
- Zaffanella, L. (1993). Survey of residential magnetic field sources, Volume 1: Goals, results and conclusions, Volume 2: Protocol, data analysis, and management. In *EPRI*, pp. 224-248.
- Zaffanella, L. & Hooper, H. (2000). Electric and magnetic field exposure assessment of powerline and non-powerline sources for California public school environments. Eneritech Consultants.
- Zaffanella, L. & Kalton, G. W. (1998). Survey of personal magnetic field exposure phase II. 1000 person survey. Interim report, Oak Ridge, Tennessee.
- Zaffanella, L. E. (1998). General Public Exposure. Results of the 1000 people survey.
- Zaffanella, L. E., Savitz, D. A. & Greenland, S. (1998). The residential case-specular method to study wire codes, magnetic fields, and disease. *Epidemiology* **9**, 16-20.